

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

EP310N-B

UFI: XV00-70NY-U00X-F8ES

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Adhesives, sealants

#### 1.3. Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer  
Street: Im Tiefen See 45  
Place: D-64293 Darmstadt  
Telephone: +49 (0)6151 803-0  
Internet: www.hbm.com  
Responsible Department: support@hbm.com

**1.4. Emergency telephone number:** +49-30-18412-0

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:  
Flammable liquid: Flam. Liq. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Hazard Statements:  
Highly flammable liquid and vapour.  
Causes serious eye irritation.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.

##### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

##### Special labelling of certain mixtures

Restricted to professional users.

##### Labelling of packages where the contents do not exceed 125 ml

**Signal word:** Danger

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 2 of 11

### Pictograms:



### 2.3. Other hazards

Highly flammable.

Vapours can form explosive mixtures with air.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
28064-14-4	2-(chloromethyl)oxirane; Formaldehyde; Phenol		80 - < 85 %	
	608-164-0			
67-64-1	acetone; propan-2-one; propanone		15 - < 20 %	
	200-662-2	606-001-00-8		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
67-64-1	200-662-2	acetone; propan-2-one; propanone	15 - < 20 %	
	inhalation: LC50 = 76 mg/l (vapours); dermal: LD50 = 20000 mg/kg; oral: LD50 = 5800 mg/kg			

#### Further Information

No information available.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

#### After inhalation

When in doubt or if symptoms are observed, get medical advice. Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 3 of 11

### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. No information available.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Water spray jet, Dry extinguishing powder, Foam

#### **Unsuitable extinguishing media**

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Highly flammable.

Vapours can form explosive mixtures with air.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General measures**

First aider: Pay attention to self-protection!

Remove all sources of ignition. Provide adequate ventilation.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Do not breathe gas/fumes/vapour/spray.

Use personal protection equipment.

Do not allow to enter into surface water or drains.

Treat the recovered material as prescribed in the section on waste disposal.

### **6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Danger of explosion Do not allow to enter into surface water or drains.

### **6.3. Methods and material for containment and cleaning up**

#### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Personal protection equipment: see section 8

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 4 of 11

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Keep away from sources of ignition - No smoking.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

##### Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed and in a well-ventilated place.

##### Hints on joint storage

Do not store together with: Oxidising substances Explosives Combustible substances of acute toxicity, category 1 and 2 / very toxic substances

##### Further information on storage conditions

Store in a well-ventilated place. Keep container tightly closed. Store in a cool dry place.

#### 7.3. Specific end use(s)

Adhesives, sealants

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	

##### Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-64-1	Acetone	Acetone	50 mg/L	Urine	End of shift

##### Additional advice on limit values

No information available.

#### 8.2. Exposure controls



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 5 of 11

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
In use, may form flammable/explosive vapour-air mixture.  
Use explosion-proof electrical equipment.  
Use non-sparking tools.

### Protective and hygiene measures

When using do not eat or drink.  
Do not breathe gas/fumes/vapour/spray.  
After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.  
Wear suitable protective clothing, gloves and eye/face protection.  
Draw up and observe skin protection programme.

### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374  
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
Thickness of the glove material:  $\geq 0,7\text{mm}$   
Suitable gloves type NBR (Nitrile rubber)  
Breakthrough time:  $>480\text{ min}$   
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Used working clothes should not be worn outside the work area.  
Separate storage of work clothes.  
Wear anti-static footwear and clothing

### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device (full mask or mouthpiece) with filter: a  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### Environmental exposure controls

Do not allow to enter into surface water or drains.  
The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	resin
pH-Value:	not determined
<b>Changes in the physical state</b>	
Melting point:	not determined
Boiling point or initial boiling point and boiling range:	56 °C
Sublimation point:	not determined

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 6 of 11

Softening point:	not determined
Pour point:	not determined
not determined:	
Flash point:	< -20 °C
Sustaining combustion:	No data available

### Flammability

Solid/liquid:	not applicable
Gas:	not applicable

### Explosive properties

not explosive according to EU A.14

Lower explosion limits:	2,5 vol. %
Upper explosion limits:	14,3 vol. %
Auto-ignition temperature:	535 °C

### Self-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature: not determined

### Oxidizing properties

Not oxidising.

Vapour pressure: (at 20 °C)	246 hPa
Vapour pressure: (at 50 °C)	814 hPa
Density (at 20 °C):	1,08 g/cm <sup>3</sup>
Bulk density:	not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.

### Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	17,70 %

## 9.2. Other information

Solid content:	not determined
----------------	----------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable. No information available.

### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 7 of 11

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. No information available.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No information available.

### **Further information**

No information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Toxicokinetics, metabolism and distribution**

No information available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

No information available.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
67-64-1	acetone; propan-2-one; propanone					
	oral	LD50 mg/kg	5800	Rat	RTECS	
	dermal	LD50 mg/kg	20000	Rabbit	IUCLID	
	inhalation (4 h) vapour	LC50	76 mg/l	Rat		

#### **Irritation and corrosivity**

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No information available.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

No information available.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

No information available.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

No information available.

#### **Specific effects in experiment on an animal**

No information available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 8 of 11

### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### Practical experience

No information available.

### 11.2. Information on other hazards

#### Other information

No information available.

### Further information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

@1501.B015603

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
67-64-1	acetone; propan-2-one; propanone					
	Acute fish toxicity	LC50 mg/l	5540	96 h	Onchorhynchus mykiss	
	Acute crustacea toxicity	EC50 mg/l	6100	48 h	Daphnia magna	

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-64-1	acetone; propan-2-one; propanone	-0,24

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.7. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

#### Contaminated packaging

Uncleaned empty containers may contain product gases which form explosive mixtures with air.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number:

UN 1133



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 9 of 11

**14.2. UN proper shipping name:** Adhesives  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Tunnel restriction code: E

### Inland waterways transport (ADN)

**14.1. UN number:** UN 1133  
**14.2. UN proper shipping name:** Adhesives  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Limited quantity: 5 L  
Excepted quantity: E1

### Marine transport (IMDG)

**14.1. UN number:** UN 1133  
**14.2. UN proper shipping name:** Adhesives  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: 223, 955  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-D

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1133  
**14.2. UN proper shipping name:** Adhesives  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: A3

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 10 of 11

Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Novolack Epoxidharz

### 14.6. Special precautions for user

Warning: Combustible liquid.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 17,7 % (191,16 g/l)

2004/42/EC (VOC): 100 % (1080 g/l)

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,8,15.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## EP310N-B

Revision date: 18.03.2021

Page 11 of 11

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*