

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

FS01

UFI: 1Y00-R0CD-500E-3M0U

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Flux agent

### 1.3. Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer  
Street: Im Tiefen See 45  
Place: D-64293 Darmstadt  
Telephone: +49 (0)6151 803-0  
Internet: www.hbm.com  
Responsible Department: support@hbm.com

**1.4. Emergency telephone number:** +49-30-18412-0

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol  
rosin; colophony

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

H225 Highly flammable liquid and vapour.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

##### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 2 of 11

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

## Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word:

Danger

Pictograms:



## Hazard statements

H317

## Precautionary statements

P261

## 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			80 - 90 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
8050-09-7	rosin; colophony			10 - < 15 %
	232-475-7	650-015-00-7		
	Skin Sens. 1; H317			
124-04-9	adipic acid			1 - < 5 %
	204-673-3	607-144-00-9		
	Eye Irrit. 2; H319			
123-99-9	Azelainsäure			1 - < 3 %
	204-669-1			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
124-04-9	204-673-3	adipic acid	1 - < 5 %	
	inhalation: LC50 = > 7,7 mg/l (dusts or mists); oral: LD50 = ca. 5700 mg/kg			
123-99-9	204-669-1	Azelainsäure	1 - < 3 %	
	dermal: LD50 = > 10 mg/kg; oral: LD50 = >4.000 mg/kg			

#### Further Information

No information available.

## SECTION 4: First aid measures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 3 of 11

## **4.1. Description of first aid measures**

### **General information**

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

### **After inhalation**

When in doubt or if symptoms are observed, get medical advice.  
Provide fresh air.  
In case of respiratory tract irritation, consult a physician.

### **After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

### **After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### **After ingestion**

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting.

## **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

## **4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

alcohol resistant foam, Water spray jet, Dry extinguishing powder

#### **Unsuitable extinguishing media**

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Highly flammable.  
Vapours can form explosive mixtures with air.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.  
Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General measures**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Use personal protection equipment. Do not allow to enter into surface water or drains. Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 4 of 11

Do not allow uncontrolled discharge of product into the environment.

## **6.3. Methods and material for containment and cleaning up**

### **Other information**

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### **Advice on protection against fire and explosion**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

#### **Further information on handling**

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed and in a well-ventilated place.

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

#### **Hints on joint storage**

Do not store together with: Oxidising agent, strong, Combustible substances of acute toxicity, category 1 and 2 / very toxic substances Non-combustible substances of acute toxicity, category 1 and 2 / very toxic substances

#### **Further information on storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

### **7.3. Specific end use(s)**

Flux agent

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
8050-09-7	Rosin-based solder flux fume	-	0.05		TWA (8 h)	WEL
		-	0.15		STEL (15 min)	WEL

#### **Additional advice on limit values**

No information available.

### **8.2. Exposure controls**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 5 of 11



## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
In use, may form flammable/explosive vapour-air mixture.  
Use explosion-proof electrical equipment.  
Use non-sparking tools.

## Protective and hygiene measures

When using do not eat or drink.  
Do not breathe gas/fumes/vapour/spray.  
After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.  
Wear suitable protective clothing, gloves and eye/face protection.  
Draw up and observe skin protection programme.

## Eye/face protection

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374  
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
Thickness of the glove material:  $\geq 0,7\text{mm}$   
Suitable gloves type NBR (Nitrile rubber)  
Breakthrough time:  $>480\text{ min}$   
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Used working clothes should not be worn outside the work area.  
Separate storage of work clothes.  
Wear anti-static footwear and clothing

## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn., Filtering device (full mask or mouthpiece) with filter: A

## Environmental exposure controls

Do not allow to enter into surface water or drains.  
The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	amber	
Odour:	not relevant	
pH-Value:		not determined

### Changes in the physical state

Melting point:	not determined
Boiling point or initial boiling point and boiling range:	82,4 °C

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 6 of 11

Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Flash point:	12 °C
Sustaining combustion:	No data available

## Flammability

Solid/liquid:	not determined
Gas:	not determined

## Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	420 °C

## Self-ignition temperature

Solid:	not determined
Gas:	not determined

Decomposition temperature:	not determined
----------------------------	----------------

## Oxidizing properties

not determined

Vapour pressure: (at 20 °C)	43 hPa
Vapour pressure: (at 50 °C)	not determined
Density (at 20 °C):	0,831 g/cm <sup>3</sup>
Bulk density:	not determined
Water solubility:	not determined

## Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	80,10 %

## 9.2. Other information

Solid content:	19,90 %
----------------	---------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 7 of 11

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No information available.

## Further information

No information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
124-04-9	adipic acid				
	oral	LD50 mg/kg	ca. 5700	Rat	
	inhalation (4 h) aerosol	LC50 mg/l	> 7,7	Rat	
123-99-9	Azelainsäure				
	oral	LD50 mg/kg	>4.000	Rat	Lit.
	dermal	LD50 mg/kg	> 10	Rat	

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (rosin; colophony)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

No information available.

#### Practical experience

No information available.

### 11.2. Information on other hazards

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 8 of 11

## Other information

No information available.

## Further information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
124-04-9	adipic acid					
	Acute fish toxicity	LC50 230 mg/l	96 h	Leuciscus idus		
123-99-9	Azelainsäure					
	Acute crustacea toxicity	EC50 >85,5 mg/l	48 h	Daphnia pulex (water flea)		
	Acute bacteria toxicity	(> 100 mg/l)		Acute (short-term) toxicity to algae and cyanobacteria	OECD	209

### 12.2. Persistence and degradability

No information available.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
123-99-9	Azelainsäure				
	301B	> 80%	17	OECD	
	Readily biodegradable (according to OECD criteria).				

### 12.3. Bioaccumulative potential

No information available.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-04-9	adipic acid	0,081
123-99-9	Azelainsäure	1,57

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number:

UN 1219



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 9 of 11

**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL)

**14.3. Transport hazard class(es):** 3

**14.4. Packing group:** II

Hazard label: 3



Classification code: F1

Special Provisions: 601

Limited quantity: 1 L

Excepted quantity: E2

Transport category: 2

Hazard No: 33

Tunnel restriction code: D/E

## Inland waterways transport (ADN)

**14.1. UN number:** UN 1219

**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL)

**14.3. Transport hazard class(es):** 3

**14.4. Packing group:** II

Hazard label: 3



Classification code: F1

Special Provisions: 601

Limited quantity: 1 L

Excepted quantity: E2

## Marine transport (IMDG)

**14.1. UN number:** UN 1219

**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL)

**14.3. Transport hazard class(es):** 3

**14.4. Packing group:** II

Hazard label: 3



Special Provisions: -

Limited quantity: 1 L

Excepted quantity: E2

EmS: F-E, S-D

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1219

**14.2. UN proper shipping name:** Isopropanol

**14.3. Transport hazard class(es):** 3

**14.4. Packing group:** II

Hazard label: 3

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



FS01

Revision date: 18.03.2021

Page 10 of 11



Special Provisions: A180  
Limited quantity Passenger: 1 L  
Passenger LQ: Y341  
Excepted quantity: E2  
IATA-packing instructions - Passenger: 353  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 364  
IATA-max. quantity - Cargo: 60 L

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 89 % (739,59 g/l)  
2004/42/EC (VOC): 83 % (689,73 g/l)  
Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,8.

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method

### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



**FS01**

Revision date: 18.03.2021

Page 11 of 11

H336 May cause drowsiness or dizziness.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*