according to Regulation (EC) No 1907/2006

#### PU140

Revision date: 28.07.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

PU140

UFI:

VS00-Q0YK-J00E-SWUQ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Paints and varnishes

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Hottinger Brüel & Kjaer
Street:	Im Tiefen See 45
Place:	D-64293 Darmstadt
Telephone:	+49 (0)6151 803-0
Internet:	www.hbm.com
Responsible Department:	support@hbm.com
1.4. Emergency telephone	+49-30-18412-0

#### number:

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226 Carc. 1B; H350 Aquatic Chronic 4; H413

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime

Signal word: Pictograms: Danger



#### Hazard statements

H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H350	May cause cancer.
H413	May cause long lasting harmful effects to aquatic life.

#### **Precautionary statements**

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Special labelling of certain mixtures



Page 1 of 11

according to Regulation (EC) No 1907/2006

#### PU140

## Hazard statements H350-H413

Precautionary statements P201-P280

#### 2.3. Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	REACH No		
	GHS Classification			
90622-57-4	Isoparaffinische Kohlenwasserstoff	(Alkane, C9-12-iso-)		25 - 50 %
	292-459-0			
	Flam. Liq. 3, Asp. Tox. 1, Aquatic C	hronic 4; H226 H304 H413		
96-29-7	butanone oxime; ethyl methyl ketox	ime; ethyl methyl ketone oxime		< 1 %
	202-496-6	616-014-00-0		
		4, Skin Irrit. 2, Eye Dam. 1, Skin Ser 2 H315 H318 H317 H370 H336 H37		
136-52-7	Cobaltoctoat			< 0,25 %
	205-250-6			
	Eye Irrit. 2, Skin Sens. 1, Aquatic A	cute 1, Aquatic Chronic 3; H319 H31	7 H400 H412	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
90622-57-4	292-459-0	Isoparaffinische Kohlenwasserstoff (Alkane, C9-12-iso-)	25 - 50 %
oral: LD50 = >10000 mg/kg			
96-29-7	202-496-6	butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime	< 1 %
dermal: ATE 1100 mg/kg; oral: ATE 100 mg/kg			

## Further Information

No information available.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!



Page 2 of 11

according to Regulation (EC) No 1907/2006

#### PU140

Revision date: 28.07.2022

#### After inhalation

When in doubt or if symptoms are observed, get medical advice. Provide fresh air.

In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Dry extinguishing powder, Foam

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Highly flammable.

Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

## Additional information

No information available.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Use personal protection equipment. Do not allow to enter into surface water or drains. Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

#### 6.3. Methods and material for containment and cleaning up

## Other information

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



Page 3 of 11

according to Regulation (EC) No 1907/2006

## PU140

Revision date: 28.07.2022

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

#### Hints on joint storage

No information available.

#### Further information on storage conditions

No information available.

#### 7.3. Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
96-29-7	Methyl ethyl ketoxime	3	10		TWA (8 h)	
		10	33		STEL (15 min)	

#### Additional advice on limit values

No information available.

#### 8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

In use, may form flammable/explosive vapour-air mixture.

#### Use explosion-proof electrical equipment.

Use non-sparking tools.



Page 4 of 11

according to Regulation (EC) No 1907/2006

#### PU140

Revision date: 28.07.2022

#### Protective and hygiene measures

When using do not eat or drink.

Do not breathe gas/fumes/vapour/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: >= 0,7mm

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time::>480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Used working clothes should not be worn outside the work area.

Separate storage of work clothes.

Wear anti-static footwear and clothing

#### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device (full mask or mouthpiece) with filter: a

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	transparent	
Odour:	Solvents	
pH-Value:		not determined
Changes in the physical state		
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		150 °C
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
not determined:		
Flash point:		57 °C
Sustaining combustion:		No data available
Flammability Solid/liquid:		not determined



according to Regulation (EC) No 1907/2006

# НВМ

## PU140

Revision date: 28.07.2022		Page 6 of 11
Gas:	not determined	
Explosive properties No information available.		
Lower explosion limits:	0,8 vol. %	
Upper explosion limits:	7 vol. %	
Auto-ignition temperature:	200 °C	
Self-ignition temperature Solid: Gas:	not determined not determined	
Decomposition temperature:	not determined	
Oxidizing properties No information available.		
Vapour pressure: (at 20 °C)	<1 hPa	
Vapour pressure: (at 50 °C)	not determined	
Density (at 20 °C):	0,89 g/cm³	
Bulk density:	not determined	
Water solubility:	not determined	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic: (at 20 °C)	55 mm²/s	
Flow time:	not determined	
Relative vapour density:	not determined	
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	51 %	
9.2. Other information		
Solid content:	48,77 Gew%	
No information available.		

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials

No information available.

according to Regulation (EC) No 1907/2006

PU140

Revision date: 28.07.2022

#### 10.6. Hazardous decomposition products

No information available.

## Further information

No information available.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met. No information available.

#### ATEmix calculated

ATE (oral) 11111,1 mg/kg

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
90622-57-4	Isoparaffinische Kohlenwasserstoff (Alkane, C9-12-iso-)					
	oral	LD50 >10000 mg/kg	Rat	JAT		
96-29-7	butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime					
	oral	ATE 100 mg/kg				
	dermal	ATE 1100 mg/kg				

#### Irritation and corrosivity

Based on available data, the classification criteria are not met. No information available.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met. No information available.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met. No information available.

#### Aspiration hazard

Based on available data, the classification criteria are not met. No information available.

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

No information available.

#### **Practical experience**

No information available.

#### 11.2. Information on other hazards



Page 7 of 11

according to Regulation (EC) No 1907/2006

Revision date: 28.07.2022

#### Other information

No information available.

## Further information

No information available.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
96-29-7	butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime					
	Acute crustacea toxicity	EC50 750 mg/l	48 h	Daphnia magna		

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
96-29-7	butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime	0,63

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No information available.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1263
14.2. UN proper shipping name:	Paint
14.3. Transport hazard class(es):	3
14.4. Packing group:	I
Hazard label:	3
Classification code:	F1
Special Provisions:	163 367 650



Page 8 of 11

according to Regulation (EC) No 1907/2006

PU140				
Revision date: 28.07.2022		Page 9 of 11		
Limited quantity: Excepted quantity: Transport category: Hazard No:	500 mL E3 1 33			
Tunnel restriction code: Other applicable information (land tra	D/E nsport)			
No information available.				
Inland waterways transport (ADN) <u>14.1. UN number:</u>	UN 1263			
14.2. UN proper shipping name:	Paint			
14.3. Transport hazard class(es):	3			
	5			
14.4. Packing group:				
Hazard label:	3			
Classification code:	F1			
Special Provisions:	163 367 650			
Limited quantity:	500 mL			
Excepted quantity:	E3			
Other applicable information (inland v No information available.	vaterways transport)			
Marine transport (IMDG)				
<u>14.1. UN number:</u>	UN 1263			
14.2. UN proper shipping name:	Paint			
<u>14.3. Transport hazard class(es):</u>	3			
14.4. Packing group:	I			
Hazard label:	3			
Special Provisions:	163, 367			
Limited quantity:	500 mL			
Excepted quantity: EmS:	E3 F-E, S-E			
Other applicable information (marine No information available.				
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number:	UN 1263			
14.2. UN proper shipping name:	Paint			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	1			
Hazard label:	3			
Special Provisions:	A3 A72 A192			
Limited quantity Passenger:	Forbidden			



according to Regulation (EC) No 1907/2006

## PI1140

PU140				
Revision date: 28.07.2022		Page 10 of 11		
Passenger LQ:	Forbidden			
Excepted quantity:	E3			
IATA-packing instructions - Passenger:	351			
IATA-max. quantity - Passenger:	1 L			
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	361 30 L			
Other applicable information (air transpo No information available.	rt)			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.7. Maritime transport in bulk according to	IMO instruments			
No transport as bulk according to IBC C	Code.			
Other applicable information				
No information available.				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulation	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 40, Entry 75				
2010/75/EU (VOC):	0,8 % (7,12 g/l)			
2004/42/EC (VOC):	40,8 % (363,12 g/l)			
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.			
Water hazard class (D):	1 - slightly hazardous to water			
15.2. Chemical safety assessment				

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,6.

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure		
Flam. Liq. 3; H226	On basis of test data		
Carc. 1B; H350	Calculation method		
Aquatic Chronic 4; H413	Calculation method		
Relevant H and EUH statements (number and full text)			

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.





according to Regulation (EC) No 1907/2006

## PU140

Revision date: 28.07.	2022	Page 11 of 11
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H350	May cause cancer.	
H370	Causes damage to organs.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)