

X120-A

Revision date: 16.03.2021 Page 1 of 8

1. Identification

Product identifier

X120-A

UFI: MQ00-7096-700X-4K8N

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer Street: Im Tiefen See 45
Place: D-64293 Darmstadt
Telephone: +49 (0)6151 803-0
Internet: www.hbm.com
Responsible Department: support@hbm.com

Emergency telephone number: +49-30-18412-0

2. Hazard identification

Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Carcinogenicity: Carc. 2

Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:





Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Suspected of causing cancer.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Do not breathe dust/fume/gas/mist/vapours/spray.

Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:







X120-A

Revision date: 16.03.2021 Page 2 of 8

Hazard statements

H351

Precautionary statements

P280

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
68911-25-1	ALIPHATIC POLYMER DIAMINE	40-70 %
4246-51-9	3,3'-Oxybis(ethylenoxy)bis(propylamin)	10 - 30 %
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	10 - < 15 %
67762-90-7	Dimethylsiloxan, reaktionsprodukt mit Siliciumdioxid	7 - 13 %
13463-67-7	Titandioxid	1 - 5 %
71074-89-0	Bis[(dimethylamino)methyl]phenol	< 3 %
140-31-8	2-piperazin-1-ylethylamine	< 1 %

Full text of H statements: see section 16.

Specific Conc. Limits, M-factors and ATE

eprend control and							
CAS No	EC No	Chemical name	Quantity				
	Specific Conc.	its, M-factors and ATE					
90-72-2	202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	10 - < 15 %				
	oral: ATE = 50	= 500 mg/kg					
140-31-8	205-411-0	2-piperazin-1-ylethylamine	< 1 %				
	dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg						

4. First-aid measures

Description of first aid measures

General information

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Most important symptoms and effects, whether acute or delayed

No information available.

Indication of immediate medical attention and special treatment needed

No information available.



X120-A

Revision date: 16.03.2021 Page 3 of 8

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water spray jet, Dry extinguishing powder, Foam

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the hazardous product

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Use personal protection equipment. Do not allow to enter into surface water or drains. Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

Methods and material for containment and cleaning up

Other information

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by

Advice on protection against fire and explosion

No special technical protective measures are necessary.

Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities



X120-A

Revision date: 16.03.2021 Page 4 of 8

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

No information available.

8. Exposure controls/Personal protection

Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

Exposure controls









Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

When using do not eat or drink. Do not breathe gas/fumes/vapour/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: >= 0,7mm

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time::>480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Used working clothes should not be worn outside the work area. Separate storage of work clothes.

Respiratory protection

not relevant

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: solid
Colour: brown
Odour: Amines

pH-Value: not applicable

Changes in the physical state

Melting point: not applicable



X120-A

Revision date: 16.03.2021 Page 5 of 8

Boiling point or initial boiling point and not applicable

boiling range:

Sublimation point: not determined

Softening point: not determined

Pour point: not determined

not determined:

Flash point: 109 °C Sustaining combustion: No data available

Flammability

Solid/liquid: not determined
Gas: not determined

Explosive properties

not determined

Lower explosive limits:

Upper explosive limits:

4,5 vol. %

Auto-ignition temperature:

not determined

Self-ignition temperature

Solid: not determined
Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

not determined

Vapour pressure: <0,001 hPa

(at 20 °C)

Vapour pressure: not determined

(at 50 °C)

Density (at 20 °C):

Bulk density:

not determined

not determined

water solubility:

not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined not determined Relative vapour density: Evaporation rate: not determined not determined Solvent separation test: Solvent content: 0.99 %

Other information

Solid content: 12,50 %

No information available.

10. Stability and reactivity

Reactivity

No information available.



X120-A

Revision date: 16.03.2021 Page 6 of 8

Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Conditions to avoid

No information available.

Incompatible materials

No information available.

Hazardous decomposition products

No information available.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Route of exposure	Dose		Species	Source	Method	
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol						
	oral	ATE mg/kg	500				
140-31-8	2-piperazin-1-ylethylamine						
	oral	ATE mg/kg	500				
	dermal	ATE mg/kg	1100				

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitizing effects

Contains 2-piperazin-1-ylethylamine. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Titandioxid)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.



X120-A

Revision date: 16.03.2021 Page 7 of 8

Mobility in soil

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

14. Transport information

Canadian TDG

UN/ID number: UN 3263

Proper shipping name: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.

Hazard classes:8Packing group:IIHazard label:8Limited quantity:1 kg



Marine transport (IMDG)

UN number: UN 3263

United Nations proper shipping
name:CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.
(3,3`-Oxybis(Ethyleneoxy)Bis(Propylamine) and

2,4,6-Tris((Dimethylamino)Methyl)Phenol))

Transport hazard class(es):

Packing group:

Hazard label:

8



Special Provisions: 274
Limited quantity: 1 kg
Excepted quantity: E2
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

UN number: UN 3263

<u>United Nations proper shipping</u> CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.

name: (3,3`-Oxybis(Ethyleneoxy)Bis(Propylamine) and

2,4,6-Tris((Dimethylamino)Methyl)Phenol))

Transport hazard class(es):

Packing group:

Hazard label:

8



X120-A

Revision date: 16.03.2021 Page 8 of 8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

5 kg

Y844

Excepted quantity:

E2

IATA-packing instructions - Passenger: 859
IATA-max. quantity - Passenger: 15 kg
IATA-packing instructions - Cargo: 863
IATA-max. quantity - Cargo: 50 kg

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

Canadian regulations

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,9.

Classification for mixtures and used evaluation method according to GHS

Harmful if awallowed

Classification	Classification procedure				
Skin Irrit. 2; H315	Calculation method				
Eye Irrit. 2; H319	Calculation method				
Carc. 2; H351	Calculation method				

Relevant H statements (number and full text)

п.	302	Harmiur ii swallowed.
H:	312	Harmful in contact with skin.
H	314	Causes severe skin burns and eye damage.
H:	315	Causes skin irritation.
H:	317	May cause an allergic skin reaction.
H	319	Causes serious eye irritation.
H:	351	Suspected of causing cancer.
H	412	Harmful to aquatic life with long lasting effects.
E	UH208	Contains 2-piperazin-1-ylethylamine. May produce an allergic reaction.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)