according to Regulation (EC) No 1907/2006

# Х120-В

Revision date: 17.03.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

X120-B

UFI:

#### WQY5-Y7KH-C7FX-J0JG

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants

# 1.3. Details of the supplier of the safety data sheet

Company name:	Hottinger Brüel & Kjaer
Street:	Im Tiefen See 45
Place:	D-64293 Darmstadt
Telephone:	+49 (0)6151 803-0
Internet:	www.hbm.com
Responsible Department:	support@hbm.com
1.4. Emergency telephone	+49-30-18412-0

#### number:

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Carcinogenicity: Carc. 2 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Causes skin irritation. Causes serious eye irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700) 1,4-Bis[(2,3-epoxypropoxy)methyl] cyclohexan titanium dioxide

Signal word: Pictograms: Warning



#### Hazard statements


H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.



Page 1 of 10

according to Regulation (EC) No 1907/2006

# X120-B



3.2. Mixtures



according to Regulation (EC) No 1907/2006

# X120-B

Revision date: 17.03.2021

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification		•	
25068-38-6	reaction product: bisphen 700)	ol-A-(epichlorhydrin); epoxy resin	(number average molecular weight <=	40 - 70 %
	500-033-5	603-074-00-8		
	Skin Irrit. 2, Eye Irrit. 2, Sl	kin Sens. 1, Aquatic Chronic 2; H3	315 H319 H317 H411	
14228-73-0	1,4-Bis[(2,3-epoxypropoxy	y)methyl] cyclohexan		10 - 20 9
	238-098-4			
	Skin Sens. 1; H317			
13463-67-7	titanium dioxide			1 - 5 %
	236-675-5	022-006-00-2		
	Carc. 2; H351			
67762-90-7	Dimethylsiloxan, reaktions	sprodukt mit Siliciumdioxid		1 - 5 9
	614-122-2			
2530-83-8	[3-(2,3-Epoxypropoxy)pro	pyl]trimethoxysilaan		1 - < 5 %
	219-784-2			
	Eye Dam. 1; H318			
2602-34-8	3-(2,3-Epoxypropyloxy)pr	opyltriethoxysilane		< 2 %
	220-011-6			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
25068-38-6		00-033-5 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700)	
Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100			

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.



Page 3 of 10

according to Regulation (EC) No 1907/2006

# Х120-В

Revision date: 17.03.2021

#### <u>4.2. Most important symptoms and effects, both acute and delayed</u> No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Dry extinguishing powder, Foam

#### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Co-ordinate fire-fighting measures to the fire surroundings.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Do not breathe gas/vapour/aerosol. Provide adequate ventilation as well as local exhaustion at critical locations. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Use personal protection equipment. Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

# 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Advice on protection against fire and explosion

No special technical protective measures are necessary.

#### Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.



Page 4 of 10

according to Regulation (EC) No 1907/2006

# Х120-В

Revision date: 17.03.2021

Page 5 of 10

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

# Further information on storage conditions

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

#### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Protective and hygiene measures

When using do not eat or drink. Do not breathe gas/fumes/vapour/spray. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of

water and soap. Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

# Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: >= 0,7mm

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time::>480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Used working clothes should not be worn outside the work area. Separate storage of work clothes.

### **Respiratory protection**

not relevant

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

according to Regulation (EC) No 1907/2006

# Х120-В

Page 6 of 10

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state:	solid	
Colour:	black	
Odour:	Epoxy resin disp	
nH-Value <sup>.</sup>		

Revision date: 17.03.2021

Colour.	DIACK
Odour:	Epoxy resin dispersions
pH-Value:	not relevant
Changes in the physical state	
Melting point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Flash point:	113 °C
Sustaining combustion:	No data available
Flammability	
Solid/liquid:	not determined
Gas:	not determined
Explosive properties not determined	
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Self-ignition temperature	
Solid:	not determined
Gas:	not determined
Decomposition temperature:	not determined
Oxidizing properties not determined	
Vapour pressure: (at 20 °C)	15,2 hPa
Vapour pressure: (at 50 °C)	not determined
Density (at 20 °C):	not determined
Bulk density:	not determined
Water solubility:	not determined
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined

according to Regulation (EC) No 1907/2006

### Х120-В

Revision date: 17.03.2021		Page 7 of 10
Solvent separation test:	not determined	
Solvent content:	not determined	
9.2. Other information		
Solid content:	5,00 %	
No information available.		

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No information available.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

# Sensitising effects

May cause an allergic skin reaction. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700); 1,4-Bis[(2,3-epoxypropoxy)methyl] cyclohexan)

# Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (titanium dioxide) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

# 12.1. Toxicity





# Х120-В

. .

НВМ

Page 8 of 10

Revision date: 17.03.2021

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
2530-83-8	[3-(2,3-Epoxypropoxy)pro	pyl]trimeth	oxysilaan				
	Acute fish toxicity	LC50	55 mg/l		Cyprinus carpio (Common Carp)	US-EPA	
	Acute crustacea toxicity	EC50	324 mg/l		Daphnia magna (Big water flea)	US-EPA	

# 12.2. Persistence and degradability

No information available.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		-	·
2530-83-8	[3-(2,3-Epoxypropoxy)propyl]trimethoxysilaan			
	BSB5	37%	28	ECHA
	BSB	370 mg/g	28	

# 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

No information available.

# 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation.


# **SECTION 14: Transport information**

# Land transport (ADR/RID)

. . . . ....

<u>14.1. UN number:</u>	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (festes Epoxidharz)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M7
Special Provisions:	274 335 375 601
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-

according to Regulation (EC) No 1907/2006



according to Regulation (EC) No 1907/2006

### Х120-В

 ENVIRONMENTALLY HAZARDOUS:
 Yes

 14.7. Maritime transport in bulk according to IMO instruments No transport as bulk according to IBC Code.

 SECTION 15: Regulatory information

 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU regulatory information

 2010/75/EU (VOC):
 15 % Information according to 2012/18/EU

 E2 Hazardous to the Aquatic Environment (SEVESO III):

# National regulatory information

Employment restrictions:

Revision date: 17.03.2021

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 2 - obviously hazardous to water

# Water hazard class (D):

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,8.

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Page 10 of 10

X120-D