according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)

Revision date: 09/08/2022

1. Identification

Product identifier

X60-B (Verbesserte Rezeptur)

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Binder

Uses advised against

No information available.

Details of the supplier of the safety data sheet

Company name:	Hottinger Brüel & Kjaer
Street:	Im Tiefen See 45
Place:	D-64293 Darmstadt
Telephone:	+49 (0)6151 803-0
Internet:	www.hbm.com
Responsible Department:	support@hbm.com
Emergency phone number:	+49-30-18412-0

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Respiratory or skin sensitization: Skin Sens. 1 Specific target organ toxicity single exposure: STOT SE 3 (respiratory tract irritation)

Label elements

29 CFR Part 1910.1200

Signal word:

Danger

Pictograms:



Hazard statements

Highly flammable liquid and vapor Causes skin irritation May cause an allergic skin reaction May cause respiratory irritation

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash ... thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.



Page 1 of 8

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)

Revision date: 09/08/2022

If on skin: Wash with plenty of water.

- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Specific treatment (see ... on this label).
- If skin irritation occurs:

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

In case of fire: Use ... to extinguish.

Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Components	Quantity
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	65 - < 70 %
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	5 - < 10 %
52628-03-2	Methacryloyloxyethylphosphat	0,1 - <1 %

4. First-aid measures

Description of first aid measures

General information

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

Extinguishing media

Revision No: 1,7 - Replaces version: 1,6



Page 2 of 8

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)

Revision date: 09/08/2022

Page 3 of 8

Suitable extinguishing media

Water spray jet, Dry extinguishing powder, Foam

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/vapor/spray. Provide adequate ventilation as well as local exhaustion at critical locations. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Personal protection equipment (PPE): see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

Methods and material for containment and cleaning up

Other information

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means., Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Hints on joint storage

TRGS 510

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)

Revision date: 09/08/2022

Page 4 of 8

Further information on storage conditions

No information available.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
80-62-6	Methyl methacrylate	100	410		TWA (8 h)	PEL
		100	410		TWA (8 h)	REL

Exposure controls









Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Protective and hygiene measures

When using do not eat or drink. Do not breathe gas/fume/vapor/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: >= 0,7mm

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time::>480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Used working clothes should not be worn outside the work area. Separate storage of work clothes.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device (full mask or mouthpiece) with filter: a

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid
Color:	brown

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)



Page 5 of 8

Revision date: 09/08/2022 Odor: Amines pH-Value: not determined Changes in the physical state Melting point/freezing point: not determined Boiling point or initial boiling point and 101 °C boiling range: not determined Sublimation point: Softening point: not determined Pour point: not determined not determined: 10 °C Flash point: No data available Sustaining combustion: Flammability Solid/liquid: not determined not determined Gas: **Explosive properties** not determined Lower explosion limits: 2.1 vol. % Upper explosion limits: 12,5 vol. % 430 °C Auto-ignition temperature: Self-ignition temperature Solid: not determined not determined Gas: not determined Decomposition temperature: **Oxidizing properties** not determined Vapor pressure: 53 hPa (at 20 °C) not determined Vapor pressure: (at 50 °C) Density (at 20 °C): not determined Bulk density: not determined not determined Water solubility: Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined not determined Flow time: not determined Relative vapour density: Evaporation rate: not determined not determined Solvent separation test: not determined Solvent content: **Other information** Solid content: not determined

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)

Revision date: 09/08/2022

No information available.

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature. No known hazardous decomposition products.

Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions. In case of warming: Hazardous polymerisation:

Conditions to avoid

UV-radiation/sunlight Only use the material in places where open light, fire and other flammable sources can be kept away.

Incompatible materials

No information available.

Hazardous decomposition products

No information available.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes skin irritation

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

May cause respiratory irritation (methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate)

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
Carcinogenicity (IARC):	Methyl methacrylate (CAS 80-62-6) is listed in group 3.
Carcinogenicity (NTP):	No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.



Page 6 of 8

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)

Revision date: 09/08/2022

Mobility in soil

No information available.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

14. Transport information

US DOT 49 CFR 172.101


<u>UN number or ID number:</u>	UN 1247
Proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED
<u>Transport hazard class(es):</u>	3
Packing group:	II
Hazard label:	3
Marine transport (IMDG)	
<u>UN number:</u>	UN 1247
UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED
Transport hazard class(es):	3
Packing group:	II
Hazard label:	3
Special Provisions:	386
Limited quantity:	1L
Excepted quantity: EmS:	E2 F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	Т- <u>с</u> , 0- <u></u>
	UN 1247
<u>UN number:</u>	
UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED
<u>Transport hazard class(es):</u>	3
Packing group:	11
Hazard label:	3
Special Provisions:	A209



Page 7 of 8

according to 29 CFR 1910.1200(g)

X60-B (Verbesserte Rezeptur)



Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No

No transport as bulk according to IBC Code.

15. Regulatory information

U.S. Regulations

National regulatory information

SARA Section 304 CERCLA: Methyl methacrylate (80-62-6): Reportable quantity = 1,000 (454) lbs. (kg) SARA Section 311/312 Hazards: Methyl methacrylate (80-62-6): Fire hazard, Immediate (acute) health hazard SARA Section 313 Toxic release inventory: Methyl methacrylate (80-62-6): De minimis limit = 1.0 %, Reportable threshold = Standard Clean Air Act Section 112(b): Methyl methacrylate (80-62-6)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Changes

Revision date:	09/08/2022
Revision No:	1,7
This data sheet contains changes from	the previous version in section(s): 2,8,10,14.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

